

SAFETY DATA SHEET

Protega Novatherm 1FR

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Protega Novatherm 1FR

Product no.: 1110-00

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the Water based fire protective paint

substance or mixture:
Uses advised against:
No special

1.3. Details of the supplier of the safety data sheet

Company and address: Protega AB

Verkstadsgatan 6B 23166 Trelleborg, Sverige

+46 410 56 780

E-mail: info@protega.se, www.protega.se

SDS date: 2021-05-19

SDS Version: 2.1

Date of previous version: 2021-05-18 (2.0)

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24

h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP)

2.2. Label elements

Hazard pictogram(s):

Not applicable
Signal word: Not applicable
Hazard statement(s): Not applicable

Safety statement(s): General

Prevention
Response
Storage

Disposal

Hazardous substances: No special

2.3. Other hazards

Additional labelling: EUH210, Safety data sheet available on request.

Additional warnings: This mixture/product does not contain any substances

considered to meet the criteria classifying them as PBT and/or



vPvB.

VOC: VOC content: 65 g/L

MAXIMUM VOC CONTENT (Phase II, category A/i (WB): 140 g/L)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
ethanol;ethyl alcohol	CAS No.: 64-17-5			
	EC No.: 200-578-6	2.50/	Flam. Lig. 2, H225	
	REACH:	3-5%	Eye Irrit. 2, H319	
	Index No.: 603-002-00-5			

See full text of H-phrases in section 16. Occupational exposure

limits are listed in section 8, if these are available.

Other information

No special

SECTION 4: First aid measures

4.1. Description of first aid measures

General information: In the case of accident: Contact a doctor or casualty

department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an

unconscious person water or other drink.

Inhalation: Upon breathing difficulties or irritation of the respiratory tract:

Bring the person into fresh air and stay with him/her.

Skin contact: Upon irritation: rinse with water. In the event of continued

irritation, seek medical assistance.

Eye contact: Upon irritation of the eye: Remove

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for

at least 5 minutes. Seek medical assistance and continue

flushing during transport.

Ingestion: Provide plenty of water for the person to drink and stay with

him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of-

or choking on vomited material.

Burns: Not applicable

4.2. Most important symptoms and effects, both acute and delayed

No special

4.3. Indication of any immediate medical attention and special treatment needed

No special

Information to medics: Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable



5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fireextinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are

produced. These are: Carbon oxides (CO / CO2).

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective

equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal

cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of

handling of waste.

See section 8 "Exposure controls/personal protection" for

protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in

the work area.

See section 8 "Exposure controls/personal protection" for

information on personal protection.

▼7.2. Conditions for safe storage, including any incompatibilities

No special conditions required.

Recommended storage material: Always store in containers of the same material as the original

container.

▼ Storage temperature: 5°C < T < 35°C

Incompatible materials: Strong acids, strong bases, strong oxidizing agents, and strong

reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in

section 1.2



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

_

ethanol;ethyl alcohol

Long term exposure limit (8 hours) (ppm): 1000 Long term exposure limit (8 hours) (mg/m³): 1920

The Control of Substances Hazardous to Health Regulations

2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

DNEL

No data available

PNEC

No data available

8.2. Exposure controls

Compliance with the given occupational exposure limits values

should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food is not allowed in

the work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Professional users are subjected to the legally set maximum

concentrations for occupational exposure. See occupational

hygiene limit values above.

Appropriate technical measures: Apply standard precautions during use of the product. Avoid

inhalation of gas or dust.

Hygiene measures: In between use of the product and at the end of the working

day all exposed areas of the body must be washed thoroughly.

Always wash hands, forearms and face.

Measures to avoid environmental

exposure:

No specific requirements

Individual protection measures, such as personal protective equipment

Generally: Use only CE marked protective equipment.

Respiratory Equipment:

Work situation	Type	Class	Colour	Standards	
Spray gun	S/SL	P2	White	EN149	

Skin protection:

Dedicated work clothing should be worn	Work situation	Recommended	Type/Category Standards	
		clothing should		The state of the s

Hand protection:

Work situation	Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
	Nitrile	0.2	> 480	EN374-2, EN374-3, EN388	

Protega Novatherm 1FR Page 4 of 9



Eye protection:				
Lyc proceedom	Work situation	Туре	Standards	
		Safety glasses	EN166	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Thixotropic liquid
Colour: Transparent
Odour / Odour threshold: Characteristic

pH: 4,5

Density (g/cm³): 1.30 (23.00 °C)

Kinematic viscosity: 100-300 mPa.s (23.00 °C)

Particle characteristics: Not applicable

Phase changes

Melting point/Freezing point (°C):

Boiling point (°C):

Vapour pressure:

Not applicable

Not applicable

Relative vapour density:

Decomposition temperature (°C):

Not applicable

Data on fire and explosion hazards

Flash point (°C):

Ignition (°C):

Auto flammability (°C):

Lower and upper explosion limit (%

Not applicable

Not applicable

v/v): **Solubility**

Solubility in water: Soluble

n-octanol/water coefficient: Not applicable Solubility in fat (g/L): Not applicable

9.2. Other information

Evaporation rate (n-butylacetate = Not applicable

100):

VOC (g/l): 65

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in section 7

"Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

No special

10.5. Incompatible materials

Protega Novatherm 1FR Page 5 of 9



Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met. Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met. Respiratory sensitisation: Based on available data, the classification criteria are not met. Skin sensitisation: Based on available data, the classification criteria are not met. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Long term effects: No special Endocrine disrupting properties: No special

Other information: ethanol;ethyl alcohol has been classified by IARC as a group 1

carcinogen.

SECTION 12: Ecological information

12.1. Toxicity No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative

potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB

assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or

vPvB.

12.6. Endocrine disrupting

properties

No special

12.7. Other adverse effects

No special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste. Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

08 01 12 Waste paint and varnish other than those mentioned in 08 01



11

Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed

of similarly to the product.

SECTION 14: Transport information

14.1 - 14.4

Not dangerous goods according to ADR, IATA and IMDG.

ADR/RID

Not applicable

IMDG

Not applicable

MARINE POLLUTANT: No

IATA

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.

Demands for specific education: No specific requirements

SEVESO - Categories / dangerous

substances:

Not applicable

Additional information: Not applicable

Sources: The Health and Safety at Work etc. Act 1974 Regulations 2013.

2005 No. 2773 ENVIRONMENTAL PROTECTION: The Volatile

Organic Compounds in Paints, Varnishes and Vehicle

Refinishing Products Regulations 2005.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006 (CLP). Regulation (EC) 1907/2006 (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

▼ Full text of H-phrases as mentioned in section 3



H225, Highly flammable liquid and vapour.

H319, Causes serious eye irritation.

Abbreviations and acronyms

ADN = European Provisions concerning the International

Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International

Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical

Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and

Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of

Pollution From Ships, 1973 as modified by the Protocol of 1978.

("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and

Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of

Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit.

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVCB = Complex hydrocarbon substance

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

correct for use with other chemicals/products.

Additional information

Not applicable

The safety data sheet is validated by

LES

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily



It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en

Protega Novatherm 1FR Page 9 of 9