

SAFETY DATA SHEET

Protega Topcoat W

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Protega Topcoat W

Product no.: 2110-10, -11, -12, -20, -21, -22

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the **Paint**

substance or mixture:

Uses advised against: No special

1.3. Details of the supplier of the safety data sheet

Company and address: Protega AB

Verkstadsgatan 6B

23166 Trelleborg, Sverige

+46 410 56 780

E-mail: info@protega.se, www.protega.se

SDS date: 2021-05-18

SDS Version: 4.0

Date of previous version: 2021-05-08 (3.0)

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24

h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP)

2.2. Label elements

Hazard pictogram(s):

Not applicable Signal word: Not applicable Hazard statement(s): Not applicable

Safety statement(s): General

> Prevention Response Storage

Disposal

Hazardous substances: No special

2.3. Other hazards

▼ Additional labelling: EUH208, Contains 5-chloro-2-methyl-2H-isothiazol-3-one: 2-

methyl-2H-isothiazol-3-one (3:1). May produce an allergic

reaction.

EUH210, Safety data sheet available on request.





Additional warnings: This mixture/product does not contain any substances

considered to meet the criteria classifying them as PBT and/or

vPvB.

VOC: VOC content: 18 g/L

MAXIMUM VOC CONTENT (Phase II, category A/i (WB): 140 g/L)

SECTION 3: Composition/information on ingredients

▼ 3.1 Substances

Does not contain any substances required to report

See full text of H-phrases in section 16. Occupational exposure

limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit

SECTION 4: First aid measures

4.1. Description of first aid measures

General information: In the case of accident: Contact a doctor or casualty

department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an

unconscious person water or other drink.

Inhalation: Upon breathing difficulties or irritation of the respiratory tract:

Bring the person into fresh air and stay with him/her.

Skin contact: IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use

solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact: Upon irritation of the eye: Remove contact lenses and open

eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue

flushing during transport.

Ingestion: Provide plenty of water for the person to drink and stay with

him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of-

or choking on vomited material.

Burns: Not applicable

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that may trigger an allergic reaction to predisposed persons.

4.3. Indication of any immediate medical attention and special treatment needed

No special

Information to medics: Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon

dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used,



since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are

produced. These are: Nitrogen oxides (NO_x)

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in

the work area.

See section 8 "Exposure controls/personal protection" for

information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed

and kept upright to prevent leakage.

Recommended storage material: Always store in containers of the same material as the original

container.

Storage temperature: > 0°C

Incompatible materials: Strong acids, strong bases, strong oxidizing agents, and strong

reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in

section 1.2



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

_

ethanediol;ethylene glycol

Long term exposure limit (8 hours) (ppm): 20(vapour)

Long term exposure limit (8 hours) (mg/m³):

10(particulate)/52(vapour)

Short term exposure limit (15 minutes) (ppm): 40 (vapour) Short term exposure limit (15 minutes) (mg/m³): 104 (vapour)

Annotations:

Sk = Can be absorbed through the skin and lead to systemic

toxicity.

The Control of Substances Hazardous to Health Regulations

2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

DNEL

No data available

PNEC

No data available

8.2. Exposure controls

Compliance with the given occupational exposure limits values

should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food is not allowed in

the work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Professional users are subjected to the legally set maximum

concentrations for occupational exposure. See occupational

hygiene limit values above.

Appropriate technical measures: Airborne gas and dust concentrations must be kept at a

minimum and below current limit values (see above).

Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure

emergency eyewash and -showers are clearly marked.

Hygiene measures: In between use of the product and at the end of the working

day all exposed areas of the body must be washed thoroughly.

Always wash hands, forearms and face.

Measures to avoid environmental

exposure:

No specific requirements

Individual protection measures, such as personal protective equipment

Generally: Respiratory Equipment: Use only CE marked protective equipment.

 Work situation
 Type
 Class
 Colour
 Standards

 Spray gun
 S/SL
 P2
 White
 EN149

Protega Topcoat W Page 4 of 9



Skin protection:	Work situation	Recom	mended T	ype/Category S	Standards	
	Dedicated work clothing should be worn					R
Hand protection:	Work situation	Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
		Nitrile	0.2	> 480	EN374-2, EN374-3, EN388	
Eye protection:		Туре		Standa	rds	
		Safety glasses		EN166		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: White
Odour / Odour threshold: Faint
pH: 8,1

Density (g/cm³): 1,22-1,28 (23.00 °C)
Kinematic viscosity: 200.00 mPa.s (23.00 °C)

Particle characteristics: Not applicable

Phase changes

Melting point/Freezing point (°C): Not applicable

Softening point/range (waxes and Does not apply to liquids.

pastes) (°C):

Boiling point (°C):

Vapour pressure:

Relative vapour density:

Decomposition temperature (°C):

Not applicable

Not applicable

Data on fire and explosion hazards

Flash point (°C):

Ignition (°C):

Auto flammability (°C):

Lower and upper explosion limit (%

Not applicable

Not applicable

v/v):

Solubility

Solubility in water: Soluble

n-octanol/water coefficient: Not applicable
Solubility in fat (g/L): Not applicable

9.2. Other information

Evaporation rate (n-butylacetate = Not applicable

100):

VOC (g/l): 18

Protega Topcoat W Page 5 of 9



SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in section 7

"Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

No special

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong

reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section

1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met. Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met. Respiratory sensitisation: Based on available data, the classification criteria are not met. **▼** Skin sensitisation: Based on available data, the classification criteria are not met. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Long term effects:No specialEndocrine disrupting properties:No specialOther information:No special

SECTION 12: Ecological information

12.1. Toxicity No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative

potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB

assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or



vPvB.

12.6. Endocrine disrupting

properties

No special

12.7. Other adverse effects

No special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

EWC code

Waste paint and varnish other than those mentioned in 08 01 08 01 12

Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed

of similarly to the product.

SECTION 14: Transport information

14.1 - 14.4

Not dangerous goods according to ADR, IATA and IMDG.

ADR/RID

Not applicable

IMDG

Not applicable

MARINE POLLUTANT: No

IATA

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.

> Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate

exposure, must be considered.

Demands for specific education: SEVESO - Categories / dangerous No specific requirements Not applicable

substances:

Additional information:

Not applicable

▼ Sources:

Protega Topcoat W Page 7 of 9



The Health and Safety at Work etc. Act 1974 Regulations 2013. 2005 No. 2773 ENVIRONMENTAL PROTECTION: The Volatile Organic Compounds in Paints, Varnishes and Vehicle Refinishing Products Regulations 2005.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP). Regulation (EC) 1907/2006 (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Abbreviations and acronyms

ADN = European Provisions concerning the International

Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International

Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and

Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of

Pollution From Ships, 1973 as modified by the Protocol of 1978.

("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and

Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of

Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit.

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVCB = Complex hydrocarbon substance

VOC = Volatile Organic Compound



vPvB = Very Persistent and Very Bioaccumulative

Additional information

Not applicable

The safety data sheet is validated by

LES

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en

Protega Topcoat W Page 9 of 9